

# Product datasheet

## Gjøco Husvask



Gjøco Husvask is an effective cleaning and disinfecting agent based on biodegradable raw materials for annual cleaning of the exterior of houses. It removes pollution, black mold, grease, soot, green grass and dust on house walls, living walls, garden furniture, fences and terraces. Supplied either in 1 liter bottles to be mixed with water or in 2.5 liter ejector jugs for use for direct connection to the garden hose.

Revised

28.04.2025

Symbols



### Information on composition

Non-ionic surfactants 5–15%

### Ingredients




Aqua  
 Propylheptyl ether  
 Diethylen glycol monobutyl ether  
 Alkylglucoside  
 C9-11 Pareth-3  
 Sodium metasilicate  
 Sodium carbonate  
 Trisodiumdicarboxymethyl alaninate

### Technical data

|                             |                          |
|-----------------------------|--------------------------|
| Type:                       | Synthetic cleaning agent |
| Specific gravity:           | 1,06 kg/l                |
| pH value, diluted solution: | 11                       |

### Usage data

|                                  |   |
|----------------------------------|---|
| Application method:              | Ejector that connects to a garden hose, or spray bottle/low pressure sprayer. |
| Recommended spreading rate:      | 1 liter washing solution for approx. 15 m <sup>2</sup> .                      |
| Mixing ratio:                    | Normal dosage: 1:30, does not apply when using an ejector.                    |
| Minimum application temperature: | >0 °C. Best effect at >+ 20 °C. Should not be applied in direct sunshine.     |

|                           |  |
|---------------------------|--|
| <b>Dosage</b>             | <p>When using the ejector, the jug is connected to the garden hose, and dosing takes place automatically.</p> <p>Dosed from 1:10-1:30. For very dirty surfaces, increase the dosage and working time or use mechanical processing. Recommended water temperature: 20-50 °C. For extremely dirty areas or when removing stains, Gjøco Husvask can be applied undiluted.</p>   |
| <b>Directions for use</b> | <p>The surface must be dry before treatment.</p> <p>Apply with a high-pressure washer, pump jug, broom/brush with extension handle, sponge or other suitable equipment. High-pressure washers should be used with care on wooden facades. Should not be applied direct sunshine or on warm surfaces. Make sure that the cleaning agent does not dry on glass or other surfaces that are being cleaned, it can cause permanent scars. Avoid spraying Gjøco Husvask directly on plants. Any spillage is washed away with water. Avoid getting the cleaning agent on self-cleaning windows because it can damage the cleaning layer.</p> <p>Apply Gjøco Husvask with even movements from the bottom upwards and ensure that all surfaces are moistened to avoid shielding. Avoid running the cleaning agent on dry surfaces. Leave the product on for 3-5 minutes. Rinse thoroughly with water from the bottom up. Finish with a thorough rinse from top to bottom.</p> |
| <b>Storage</b>            | Screw the top back on when storing to prevent spillage and drying out. The product must be transported and stored upright, dry and frost-free.   |
| <b>Disposal of waste</b>  | <p>The product must not be emptied into sewers or into nature but delivered to an environmental station. Empty, clean, and dry plastic packaging can be delivered as plastic waste.</p> <div>    </div>   |
| <b>Other information</b>  | It is not recommended that the ejector be unscrewed from the packaging, as this may lead to leakage. Packaging sizes: 1, 2.5 and 4 litres.   |
| <b>Safety</b>             | See separate safety data sheet. Read the information on the packaging.   |

The information on this data sheet is based on laboratory tests and practical experience. Our products are considered semi-finished products and as the conditions under which the products are used are often beyond our control, we cannot guarantee anything other than the product's quality. The products are delivered in accordance with our general terms and conditions for sales, delivery and service, unless otherwise agreed in writing. We reserve the right to make minor product changes and to change the specified data without prior notice. This data sheet replaces previous editions.

**Contact information**

**Gjøco AS**  
 Ørvegen 1160, 6639 Torvikbukt  
 Telephone: +47 712 91 700  
 E-mail: office@gjoco.no



